



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/747,678	12/22/2000	Klaus Kehrle	Cocr.56US01	4640
27479	7590	03/23/2006	EXAMINER	
COCHRAN FREUND & YOUNG LLC 2026 CARIBOU DR SUITE 200 FORT COLLINS, CO 80525			YANG, RYAN R	
			ART UNIT	PAPER NUMBER
			2628	

DATE MAILED: 03/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/747,678

Applicant(s)

KEHRLE ET AL.

Examiner

Ryan R. Yang

Art Unit

2672

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 05 January 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 11-28 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 11-28 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

### **DETAILED ACTION**

1. This action is responsive to communications: Amendment, filed on 1/4/2006.

This action is final.

2. Claims 11-28 are pending in this application. Claims 11, 21 and 26 are independent claims. This application claims foreign priority dated 12/24/1999.

3. The present title of the invention is "Method for interactive construction of virtual 3D circuit models" as filed originally.

### ***Claim Rejections - 35 USC § 103***

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

5. Claims 11-15, 21-24 and 26-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mukouchi et al. (6,104,403).

6. As per claim 11, Mukouchi et al., hereinafter Mukouchi discloses a method of manipulating computer aided design (CAD) objects, comprising:

receiving user input to associate two CAD objects, wherein said user input identifies a coupling between said two CAD objects selected from a group of connections consisting of: a vertex-to-vertex connection, an axis-to-axis connection, an edge-to-axis connection, and a face-to-face connection (Figure 21 where 114 is a door and 112 is a door frame; the connection between the two is an edge-to-edge connection);

displaying said two CAD objects according to the coupling identified by the user input (Figure 22 where the hinge unit of the door frame model with the reference points 116 and 118 are identified as the coupling);

calculating a reduction in degrees of freedom between said two CAD objects caused by said identified coupling calculating and providing on the screen an indication of a remaining degrees of freedom of the components after the change has been made (Figure 19 depicts the calculation steps; Figure 24 is an explanatory diagram of the degree of freedom between assembling part models having two points junction reference data", column 6, line 11-13; "FIG. 24 illustrates an assembly model appearing after attaching the door part model 114 to the door frame part model 112 at the two junction reference points", column 15, line 33-35. Since the door is hinged after movements, it shows lesser degree of freedom of movement.)

It is noted that Mukouchi does not explicitly disclose calculating for degrees of freedom, however, since Mukouchi is calculating for the movement of the model (Figure 19- S7), and the movement shows the degree of freedom (Figure 22 and 24), it is obvious that Mukouchi is also calculating for the degree of freedom so that the restriction on the movement of the model could be determined.

; and

displaying an indication of said reduction in said degrees of freedom in association with the display of said two CAD objects (Figure 24 displays reduction of freedom after connection).

7. As per claim 12, Mukouchi demonstrated all the elements as disclosed in the rejected claim 11, and further discloses at least one of said two CAD objects comprises a group of subcomponents (Figure 50 where each CAD object is a complex object with a pluralities of sub-components).

8. As per claim 13, Mukouchi demonstrated all the elements as disclosed in the rejected claim 11, and further discloses:

verifying that said identified coupling is consistent with a prior coupling between said two CAD objects before performing said displaying said two CAD objects ("In case of the mode 2 assembling process, as in Fig. 15 for instance, the movements of the assembling part models are checked in the state where the basic part model 64 which is the assembling object and the part models 66 and 68 to be assembled are arranged in the world coordinate space", column 14, line 41- column 15, line 9).

9. As per claim 14, Mukouchi demonstrated all the elements as disclosed in the rejected claim 11, and further discloses:

receiving user input to position said two CAD objects relative to each other before receiving said user input that identifies a coupling between said two CAD objects ("Figure 10A and 10B illustrate another embodiment of processing for assembling together part models having one point junction reference data. Fig. 10A shows the preassembling state in which the part models 30 and 46 are arranged in the world coordinate space, with the part models 30 and 46 having junction reference points 32 and 48 set in there respective intra-model units ...", column 11, line 51-64); and

displaying said two CAD objects according to relative positioning (Figure 10B).

10. As per claim 15, Mukouchi demonstrated all the elements as disclosed in the rejected claim 14, and further discloses:

calculating a reduction in degrees of freedom caused by said relative positioning of said two CAD objects (Figure 19 depicts the calculation steps; Figure 24 is an explanatory diagram of the degree of freedom between assembling part models having two points junction reference data", column 6, line 11-13; "FIG. 24 illustrates an assembly model appearing after attaching the door part model 114 to the door frame part model 112 at the two junction reference points", column 15, line 33-35. Since the door is hinged after movements, it shows lesser degree of freedom of movement.)

; and

displaying said reduction in degrees of freedom in association with display of said two CAD objects (displaying an indication of said reduction in said degrees of freedom in association with the display of said two CAD objects (Figure 24 displays reduction of freedom after connection).

11. As per claim 21, Mukouchi discloses a computer aided design (CAD) system, comprising:

means for defining a virtual environment in which CAD objects are manipulated (Figure 1 is the means and Figure 21 is a virtual environment);

and since the rest of the limitations are similar to claim 11, they are similarly rejected as in claim 11.

12. As per claim 22, since the claim limitation is similar to claim 12, it is similarly rejected as claim 12.

Art Unit: 2672

13. As claim 23, since the claim limitation is similar to claim 13, it is similarly rejected as claim 13.

14. As claim 24, since the claim limitation is similar to claim 14, it is similarly rejected as claim 14.

15. As per claim 26, Mukouchi discloses a method, comprising:  
providing a virtual environment in which computer aided design (CAD) objects are manipulated (Figure 21 is a virtual environment);

and since the rest of the limitations are similar to claim 11, they are similarly rejected as in claim 11.

16. As per claim 27, since the claim limitation is similar to claim 12, it is similarly rejected as claim 12.

17. As per 28, since the claim limitation is similar to claim 13, it is similarly rejected as claim 13.

18. Claims 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mukouchi et al. as applied to claim 11 above, and further in view of Bentley et al. (6,341,291).

19. As per claim 16, Mukouchi demonstrated all the elements as disclosed in the rejected claim 11.

Mukouchi discloses a method of changing the relative position and/or orientation of two components of a virtual model. It is noted that Mukouchi does not explicitly disclose "said receiving, displaying said two CAD objects, calculating, and displaying an indication are performed by a collaborative design application associated with a plurality

of users", however, this is known in the art as taught by Bentley. Bentley discloses a computer network used in CAD design where a central server is used ("A plurality of client computers are bi-directionally connected to the server", Abstract, line 8-9).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Bentley into Mukouchi because Mukouchi discloses a method of changing the relative position and/or orientation of two components of a virtual model and Bentley discloses the CAD data be shared in a network environment in order to be used by a plurality of users.

20. As per claim 17, Mukouchi and Bentley demonstrated all the elements as disclosed in the rejected claim 16, and Bentley further discloses maintains a virtual model including said two CAD objects, and wherein said displaying said two CAD objects and displaying said indication are performed by communicating only changes in said virtual model caused by said identified coupling ("Each client computer may obtain the current version of the components and may send locally edited versions of the components back to the server to replace the current versions in the repository", Abstract line 9-13).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Bentley into Mukouchi because Mukouchi discloses a method of changing the relative position and/or orientation of two components of a virtual model and Bentley discloses the CAD data be shared in a network environment in order to be used by a plurality of users.



21. As per claim 18, Mukouchi and Bentley demonstrated all the elements as disclosed in the rejected claim 16, and Bentley further discloses:

locking one of said two CAD objects in response to user input from a respective user, prior to receiving user input to associate two CAD objects, to prevent other users from manipulating said locked CAD object ("If there are unresolved conflicts, that is, components that have been modified and committed by another user and have also been changed locally, then commit is blocked", column 13, line 8-11).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Bentley into Mukouchi because Mukouchi discloses a method of changing the relative position and/or orientation of two components of a virtual model and Bentley discloses usage by other user can be blocked in order to avoid conflict.

22. As per claim 19, Mukouchi and Bentley demonstrated all the elements as disclosed in the rejected claim 16.

As for unlocking said one of said two CAD objects after displaying said two CAD objects according to the identified coupling, since the lock signal is established to prevent changes by other, it is obvious the lock signal is removed after change has been made in order to prevent hanging of the system.

23. Claims 20 and 25 rejected under 35 U.S.C. 103(a) as being unpatentable over Mukouchi as applied to claim 11 above, and further in view of Noyama (5,594,850).

24. As per claim 20, Mukouchi demonstrated all the elements as disclosed in the rejected claim 11.

Mukouchi discloses a method of changing the relative position and/or orientation of two components of a virtual model. It is noted that Mukouchi does not explicitly disclose wherein said displaying said two CAD objects comprises: applying a transformation matrix to at least one of said two CAD objects, however, this is known in the art as taught by Noyama et al., hereafter Noyama. Noyama discloses a method of simulating images in which a transformation matrix is calculated between a source image and a destination image (204-208 of Figure 11).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Noyama into Mukouchi because Mukouchi discloses a method of changing the relative position and/or orientation of two components of a virtual model and Noyama discloses a transformation matrix between two images can be calculated in order to facilitate the transformation.

25. As claim 25, since the claim limitation is similar to claim 20, it is similarly rejected as claim 20.

### ***Response to Arguments***

26. Applicant's arguments filed 1/4/2006 have been fully considered but they are not persuasive.

Applicant alleges Mukouchi does not teach "calculating a reduction in degrees of freedom between said two CAD objects caused by said identified coupling" or "determining a reduction in degrees of freedom caused by said identified coupling". In reply, Examiner considers Figure 24 in relation to Figure 21. Figure 21 shows an unhinged door, which is movable in all directions. Figure 24 shows a hinged door

rotatable only around the hinged axis. Obviously, Figure 24 shows a door has less degree of freedom movement than Figure 21. Graphically, Figure 24 shows an object having certain degree of freedom of movement. Examiner considers Figure 24 renders calculating and determining degree of freedom obvious.

### ***Conclusion***

27. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


### ***Inquiries***

28. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan R. Yang whose telephone number is (571) 272-7666. The examiner can normally be reached on M-F 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Razavi can be reached on (571) 272-7664. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2672

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Ryan Yang  
Primary Examiner  
March 14, 2006